


# COLMARO SPORTS

## SPECIFICATIONS

<b>WEIGHT</b>	9.8 kg
<b>SIZES</b>	XS-S-M-L-XL
<b>COLOUR</b>	Teal matt
<b>FRAME</b>	Smooth TIG-welded frame. Exclusive hydroformed tubes manufactured in triple-butted aluminium. Equipped with: Tapered head tube with integrated 1 $\frac{1}{8}$ "/1 $\frac{1}{4}$ " headset, Internal cables, Press Fit BB, exclusive KOGA dropouts for 12mm thru axle with integrated replaceable rear derailleur hanger and hidden mudguard mounts.
<b>FRONT FORK</b>	KOGA full carbon with 12x100mm dropouts, internal cable routing and hidden mudguard mounts
<b>HEADSET</b>	Industrial bearing - Integrated in frame
<b>HANDLEBAR</b>	KOGA Flat Bar - Oversized double butted alloy
<b>STEM</b>	KOGA adjustable
<b>HANDLEBAR TAPE/GRIPS</b>	KOGA 2K Sport
<b>DISC-/HYDRAULIC BRAKE SET (F)</b>	Tektro R310 hydraulic disc brake, flat mount type
<b>DISC-/HYDRAULIC BRAKE SET (R)</b>	Tektro R310 hydraulic disc brake, flat mount type
<b>ROTOR FRONT</b>	Tektro 160mm
<b>ROTOR REAR</b>	Tektro 140mm
<b>SHIFT LEVER (R)</b>	Shimano Tiagra 4700
<b>SHIFT LEVER (L)</b>	Shimano Tiagra 4700
<b>CHAIN</b>	KMC X10EL
<b>CRANK SET</b>	Shimano Tiagra 4700 50-39-30T for 10-speed
<b>BOTTOM BRACKET</b>	Shimano Tiagra Press Fit
<b>CASSETTE</b>	Shimano HG-500 10 speed - 12-28T
<b>REAR DERAILLEUR</b>	Shimano Tiagra 4700 10-speed
<b>FRONT DERAILLEUR</b>	Shimano Tiagra 4700 for 3x10-speed
<b>FRONT HUB</b>	KOGA Disc for 12x100 Thru Axle
<b>REAR HUB</b>	KOGA Disc for 12x142 Thru Axle
<b>TIRE (F)</b>	Continental Contact Speed 28-622
<b>TIRE (R)</b>	Continental Contact Speed 28-622
<b>TUBE</b>	Schwalbe ExtraLight
<b>RIM (F)</b>	Mach1 Pulse Disc
<b>RIM (R)</b>	Mach1 Pulse Disc
<b>SPOKES F1</b>	Mach1 Pro
<b>SADDLE</b>	Selle Royal Asphalt
<b>SEAT POST</b>	KOGA D-form integrated seat post 27.2mm



## GEOMETRY


### ♠ GENTS

SIZE	T/T	C/S	WB	BB	RA	H/T°	S/T°	TR	H/T	RE	ST
XS	520	425	990	67.0	45	71.5	74.5	65	115	377	516
S	532	425	994	67.0	45	72.0	74.0	62	135	377	536
M	547	425	995	67.0	45	72.5	73.0	59	155	377	557
L	565	425	994	67.0	45	73.0	72.5	56	175	383	577
XL	585	425	1018	67.0	45	73.0	72.0	56	195	392	596

# COLMARO SPORTS

## SPECIFICATIONS

<b>WEIGHT</b>	10.0 kg
<b>SIZES</b>	✓ XS-S-M-L
<b>COLOUR</b>	Silver Blue matt
<b>FRAME</b>	Smooth TIG-welded frame. Exclusive hydroformed tubes manufactured in triple-butted aluminium. Equipped with: Tapered head tube with integrated 1 $\frac{1}{8}$ "/1 $\frac{1}{4}$ " headset, Internal cables, Press Fit BB, exclusive KOGA dropouts for 12mm thru axle with integrated replaceable rear derailleur hanger and hidden mudguard mounts.
<b>FRONT FORK</b>	KOGA full carbon with 12x100mm dropouts, internal cable routing and hidden mudguard mounts
<b>HEADSET</b>	Industrial bearing - Integrated in frame
<b>HANDLEBAR</b>	KOGA Flat Bar - Oversized double butted alloy
<b>STEM</b>	KOGA adjustable
<b>HANDLEBAR TAPE/GRIPS</b>	KOGA 2K Sport
<b>DISC-/HYDRAULIC BRAKE SET (F)</b>	Tektro R310 hydraulic disc brake, flat mount type
<b>DISC-/HYDRAULIC BRAKE SET (R)</b>	Tektro R310 hydraulic disc brake, flat mount type
<b>ROTOR FRONT</b>	Tektro 160mm
<b>ROTOR REAR</b>	Tektro 140mm
<b>SHIFT LEVER (R)</b>	Shimano Tiagra 4700
<b>SHIFT LEVER (L)</b>	Shimano Tiagra 4700
<b>CHAIN</b>	KMC X10EL
<b>CRANK SET</b>	Shimano Tiagra 4700 50-39-30T for 10-speed
<b>BOTTOM BRACKET</b>	Shimano Tiagra Press Fit
<b>CASSETTE</b>	Shimano HG-500 10 speed - 12-28T
<b>REAR DERAILLEUR</b>	Shimano Tiagra 4700 10-speed
<b>FRONT DERAILLEUR</b>	Shimano Tiagra 4700 for 3x10-speed
<b>FRONT HUB</b>	KOGA Disc for 12x100 Thru Axle
<b>REAR HUB</b>	KOGA Disc for 12x142 Thru Axle
<b>TIRE (F)</b>	Continental Contact Speed 28-622
<b>TIRE (R)</b>	Continental Contact Speed 28-622
<b>TUBE</b>	Schwalbe ExtraLight
<b>RIM (F)</b>	Mach1 Pulse Disc
<b>RIM (R)</b>	Mach1 Pulse Disc
<b>SPOKES F1</b>	Mach1 Pro
<b>SADDLE</b>	Selle Royal Asphalt
<b>SEAT POST</b>	KOGA D-form seat post 27.2mm



## GEOMETRY

✓ MIXED

SIZE	T/T	C/S	WB	BB	RA	H/T°	S/T°	TR	H/T	RE	ST
XS	520	425	990	67.0	45	71.5	74.5	65	115	377	516
S	532	425	994	67.0	45	72.0	74.0	62	135	377	536
M	547	425	995	67.0	45	72.5	73.0	59	155	377	557
L	565	425	994	67.0	45	73.0	72.5	56	175	383	577